



Rail system
Pergola




Portofino
Pergola



Just
enjoy life!

Lewens
MARKISEN






Portofino Pergola type

An exciting and versatile performer



*When the sun is low in the sky, the optional **Vario valance** offers a sunshade and privacy screen that can be adjusted as required.*

*Height-adjustable **Vario uprights** (option) offer variable shade and facilitate instant run-off during light showers.*




Equipment and convenience features

- Width, 1 unit max. 600 cm, double unit max. 1200 cm, drop max. 500 cm
- Zip guide and patented balance spring technology
- Electric motor
- Options:
Radio motor/radio remote control, automatic weather sensor, LED lighting (*strip integrated into casing, profile as described in the technical drawing*), radiant heater, Vario valance, Vario uprights




As a patio awning with free-standing uprights, the Portofino type pergola is a particularly windproof sunshade model. Thanks to its closed zip guide, the awning is always perfectly tensioned, offering good looks teamed with complete shade from the sun. For greater flexibility and comfort on the patio, the Portofino also comes with Vario uprights, enabling the front corners to be lowered for variable shade and relaxed, highly indulgent outdoor living.




Fabric guide **ZIP**

The track systems, which have received recognition with the GDA Aluminium Profile Award, are equipped with a zip guide and patented balance spring technology. These ensure a taut sit of the fabric, greater wind safety and complete shade from the sun.



Portofino

Equipment and technical features



Portofino



Manufactured and assembled in Germany



TÜV-tested safety



EN 13561

Quality and technology CE-compliant



Recipient of the GDA Aluminium Profile Award

Recipient of the



Recipient of the



Recipient of the



Type	Pergola
Fabric guide	ZIP
System height	152 mm
Upright height (for adjustment on site)	250 cm ■
Special upright heights	<input type="checkbox"/>
Unit widths (max.)	
1 unit (single field)	600 cm
2 part (double unit: 2 cassettes, 2 motors, 4 guide rails, 3 uprights)	1.200 cm
Drop (max.)	
Depth (incl. cassette, on Capri plus 11 cm return roller)	500 cm
Upright distance from wall (max.)	400 cm
Upright recess at front (max., depends on unit depth!)	100 cm
Drive	
Electric motor (for wall switch)	■
Radio motor	<input type="checkbox"/>
Frame colours	
29 Lewens standard frame colours	■
Additional RAL, special colours and effect finishes	<input type="checkbox"/>
Awning fabrics from the LEWENS collection	
Branded acrylic (spun-dyed, ultra fade resistant)	■
Orchestra MAX (branded acrylic, water repellent) *	<input type="checkbox"/>
Branded polyester/recycled polyester (spun-dyed, ultra fade resistant)	<input type="checkbox"/>
Tenara quality sewing yarn	■
Options	
1 Radio motor + radio remote control	<input type="checkbox"/>
2 Automatic weather sensor (sund,wind, rain)	<input type="checkbox"/>
3 Lighting – LED upright(s) – integral LED strip, LED profile	<input type="checkbox"/>
4 Radiant heater (only wall attachment)	<input type="checkbox"/>
5 Vario valance (not with 4)	<input type="checkbox"/>
6 Solar radio motorr (Somfy io) only for Vario valance (5)	<input type="checkbox"/>
7 Vario upright(s), upright lowers by max. 30 cm, crank drive	<input type="checkbox"/>
Attachment	
Wall attachment + 2 front uprights (wall brackets, base consoles included)	■
additional/further attachment materials	<input type="checkbox"/>
Note	
Due to the design and the weight of the awning fabric, the fabric may sag in the middle on large awning sizes. However, this has no effect on the operation and / or service life of the awning.	

Possible dimensions and restrictions along with the complete range of electronic accessories can be found in the technical data in the current Lewens price list.

■ Standard Option
* pitch angle $\geq 10^\circ$ recommended, always ultrasonic seam welding

Your stockist will be happy to advise you:



www.lewens-markisen.de

Subject to technical alterations. Date: 07/2024